Typical Case

北京天坛人民医院
北京大学口腔医院
山东大学口腔医院
上海淞江中心医院
宁波市地区人民医院
北京市口腔医院青年工作者学会
广州医科大学口腔医院（大楼）
海口市人民医院海南省口腔医学中心（大楼）
贵阳市口腔医院（大楼）
昆明曲靖市口腔医院
云南第一人民医院
云南省医疗器械投资公司体检中心
首都医科大学附属北京口腔医院
东直门医院
大庆油田医院
西安四军医大学附属口腔医院
西安交通大学口腔医院
吉林大学校医院
广州市东升医院
广东省口腔医院
广州医学院第一附属医院
中山大学附属口腔医院
华西医科大学附属口腔医院
广州第八人民医院
河南省人民医院
上海市第九人民医院
上海复旦大学附属口腔医院
福建省医科大学附属口腔医院
江西医学院附属口腔医院
温州医学院附属口腔医院
云南省第一人民医院
昆明医学院附属口腔医院
云南第二人民医院
长沙市口腔医院
海口市人民医院
徐州市第一人民医院

Global Clients

U.S.A
Russia
Germany
Italy
Norway
Britain
Australia
Holland
Belgium
New Zealand
Japan
Korea
Arabia United
Saudi Arabia
Philippines
Malaysia
Indonesia
Pakistan
Morocco
Jordan
Lithuania
Singapore
India
Hongkong
Taiwan
Israel

Beijing Dachuang XieHe Technology Co., Ltd.
Address: Room A308-1, Building 1, No.13 Dazhongsi Road, Haidian District, Beijing, China
Contact: +86 10 6224 2175

Guangzhou Dachuang XieHe Technology Co., Ltd.
Address: Room 19C, Poly Center, Guangfa Garden Commercial, No.498 Huanshi East Road, Yuexiu District, Guangzhou, China
Contact: +86 20 8730 0525

Beijing Dachuang XieHe Technology Jiangsu Co., Ltd.
Address: No.86-10 Shuanggao Road, Gaochun District, Nanjing, Jiangsu Province, China

Hensles

Beijing Dachuang Xiehe Technology Jiangsu Co., Ltd.

Specialized in integrated Dental Solutions

Product Manual
Hensles



Company Profile

BEIJING DACHUANG XIEHE TECHNOLOGY CO., LTD.


BEIJING DACHUANG XIEHE Technology Co., Ltd. was founded in 2000 in Beijing, at present, the company has: “BEIJING DACHUANG XIEHE Technology Co., Ltd.”and Shanghai Mingchuang Medical Technology Co. The company's business core focuses on the production and sales of comprehensive oral treatment table, customized oral medical metal sideboard and other supporting equipment.Other ancillary equipment production and sales business, its exclusive agent of Japan Belmont production of the world-renowned brand Belmont 'Belmont' dental comprehensive treatment table.



Our main products have covered many professional colleges and universities school hospitals and dental hospitals across the country, with nearly 200 medical institutions and distributors as cooperative customers. In the past two years, the company began to participate in hospital dental department overall. In 2017, DA CHUANG XIEHE took a new step forward and successfully introduced the investment of Guangzhou Daan Chuanggu Enterprise Management Co. The company has realized the independent production of comprehensive oral treatment table, utilized the advantages of channels and experience accumulation to realize product autonomy, and extended the products and services to the primary medical institutions in accordance with the national policy trend. XIEHE will continue to adhere to the attitude of “Focus, Innovation, Cooperation and Win-Win”, and work together with China's oral healthcare industry to make progress together.






CERTIFICATE OF ENVIRONMENTAL MANAGEMENT SYSTEM

Certificate Registration No：62724E0158R0S

Hereby certify that

Beijing Da Chuang Xiehe technology Jiangsu Co., LTD

Unified social credit code：91320118MAITC9L683

Registration Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing

Audit Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing City, Jiangsu Province

Environment management system in line with

GB/T24001-2016 idt ISO14001:2015

Scope of Certification

Environmental management activities related to R & D, production and sales of side cabinets in dental consulting room

Date of this certificate: Apr 03, 2024 Date of Initial Certificate: Apr 03, 2024 Date of Expiry: Apr 02, 2027

According to the requirements of the certification, during validity period of the certificate a surveillance audit should be carried out once within each 12 months.
The certification is only valid within the scope of administrative license of the certification holder.

Supervision one | Supervision two | Supervision three

IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C275-M

Sign and issue

JingXin Certification (Beijing) Co., Ltd

Address: 413, floor 4, building 1, fengzhuyuan District 2, 18 Jiaomen, Fengtai District, Beijing
Post code: 100068 Tel: 010-87568032 Website: www.iaojx.org.cn

The information of this certificate can be found on CNCA website at www.cnca.gov.cn.


CERTIFICATE OF QUALITY MANAGEMENT SYSTEM

Certificate Registration No：62724Q0237R0S

Hereby certify that

Beijing Da Chuang Xiehe technology Jiangsu Co., LTD

Unified social credit code：91320118MAITC9L683

Registration Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing

Audit Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing City, Jiangsu Province

Quality management system in line with

GB/T19001-2016 idt ISO9001:2015

Scope of Certification

R&D, production and sales of side cabinets in oral consultation room

Date of this certificate: Apr 03, 2024 Date of Initial Certificate: Apr 03, 2024 Date of Expiry: Apr 02, 2027

According to the requirements of the certification, during validity period of the certificate a surveillance audit should be carried out once within each 12 months.
The certification is only valid within the scope of administrative license of the certification holder.

Supervision one | Supervision two | Supervision three


IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C275-M

Sign and issue

JingXin Certification (Beijing) Co., Ltd

Address: 413, floor 4, building 1, fengzhuyuan District 2, 18 Jiaomen, Fengtai District, Beijing
Post code: 100068 Tel: 010-87568032 Website: www.iaojx.org.cn

The information of this certificate can be found on CNCA website at www.cnca.gov.cn.


CERTIFICATE OF OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEM

Certificate Registration No：62724S0145R0S

Hereby certify that

Beijing Da Chuang Xiehe technology Jiangsu Co., LTD

Unified social credit code：91320118MAITC9L683

Registration Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing

Audit Address : 86-10 Shuanggao Road, Gubai Town, Gaochun District, Nanjing City, Jiangsu Province

Occupational health and safety management system in line with

GB/T45001-2020 idt ISO45001:2018

Scope of Certification

Occupational health and safety management activities related to the research and development, production and sales of dental office side cabinets

Date of this certificate: Apr 03, 2024 Date of Initial Certificate: Apr 03, 2024 Date of Expiry: Apr 02, 2027

According to the requirements of the certification, during validity period of the certificate a surveillance audit should be carried out once within each 12 months.
The certification is only valid within the scope of administrative license of the certification holder.

Supervision one | Supervision two | Supervision three

IAF CNAS 中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C275-M

Sign and issue

JingXin Certification (Beijing) Co., Ltd

Address: 413, floor 4, building 1, fengzhuyuan District 2, 18 Jiaomen, Fengtai District, Beijing
Post code: 100068 Tel: 010-87568032 Website: www.iaojx.org.cn

The information of this certificate can be found on CNCA website at www.cnca.gov.cn.

With years of specialization in the dental side cabinet industry, our company is certified for the research, development, production, and sales of “Dental Clinic Side Cabinets” within the scope of our management systems.

※ Quality Management System Certificate:
GB/T19001-2016 idt ISO 9001:2015

※ Environmental Management System Certificate:
GB/T24001-2016 idt ISO 14001:2015

※ Occupational Health and Safety Management System Certificate:
GB/T45001-2020 idt ISO 45001:2018

Dental Cabinet Set HTC-B-B/B

Sideboard Specifications:	3500 mm * 510 mm * 840 mm
Combination:	Optional
Cabinet Material:	1.0 mm 304 high quality stainless steel
Countertop Material:	304 high quality stainless steel
Water Discharge Type(Optional):	a. 24-volt foot top outlet b. Mechanical foot pedal outlet
Handle Style:	Optional



03/04
Medical Cabinet

Linear Dental Cabinet Set HTC-B/R/W



Dimensions:	3000 mm * 510 mm * 840 mm
Combination:	One set of water cabinet, one set of single door cabinet, three sets of single drawer cabinet, one set of five drawer cabinet,
Cabinet Material:	Matching ceramic basin or stainless steel basin
Coating:	Galvanised steel plate
Countertop Material:	Epoxy resin
Thickness:	One-piece moulding ceramic marble countertop or nano-grade microcrystalline stone
Water Outlet:	12 mm ~ 35 mm
Cabinet Colour:	24-volt foot-operated water outlet or mechanical foot-operated water outlet
Pull Style:	Optional
	Optional

L-Shaped Dental Cabinet Set HTC-B-D/W



Detail Display



Dimension: build-in trash bin
350mm*250mm*350mm



Dimension: Table subsidence area
780mm*78mm*0.8mm



Specifications: power box
(Customized)



Dimension: Drawer liner
392mm*450mm*90mm

Specification:	1300 (1700) mm * 510 mm * 840 mm
Combination:	One set of water closet, one set of computer desk, one set of five drawer cabinet
Water Outlet Method:	24V foot-head type water outlet or mechanical foot pedal water outlet
Cabinet Colour:	Optional
Handle Style:	Optional
Cabinet Material:	First grade galvanised steel sheet
Coated:	Epoxy resin
Countertop Material:	One-piece ceramic marble countertop
Thickness:	12 mm ~ 35 mm

05/06
Medical Cabinet

Dental Cabinet Combination HTC-B-D/R3

Sideboard Specifications:	2500 mm * 510 mm * 840 mm
Combination:	Optional
Cabinet Material:	Galvanised steel plate
Countertop Material:	Artificial stone porcelain countertop
Wateroutlet Style(optional):	Sensor-type water dispenser (with automatic soap dispenser)
Handle Style:	Optional







Induction water discharge



Built-in storage shelf



Couter top
with option lightstrip

Dental Cabinet Combination HTC-B-D/R3

Sideboard Specifications:	2500 mm * 510 mm * 890 mm
Combination:	Optional
Cabinet Material:	Galvanised steel
Countertop Material:	Artificial stone imitation porcelain (countertop can be equipped with optional light strip)
Water Outlet Style:	Induction water discharge (optional mechanical water discharge)
Handle Style:	Optional








Couter top
with option lightstrip



Built-in storage shelf



Induction water discharge





09/10

Medical Cabinet

High-Precision Laser Cutting





Specification: Length available

Features: Imported plexiglass cabinet door, drawer door

Combination: Water closet 1 set
Five drawer cabinet 1 set
Single door cabinet 1 set





Custom Combination Cabinet HTC-DZ-SGW

Combination:	Optional	Wateroutlet Style.	Induction water discharge
Cabinet Material:	Galvanised steel sheet	Pull Handle Style:	Optional
Countertop Material:	Microcrystalline stone		

Linear Dental Cabinet Set HTC-B-D/S

Sideboard Specifications:	2600mm X 860mm X 510mm
Countertop Material:	Ecological quartz stone Colour (five optional)
Cabinetmaterial:	High quality first-grade galvanised sheet 0.8–1.0 (mm)
Water Discharge Method(Optional):	a. 24-volt foot top outlet b. Mechanical foot pedal outlet
Coated:	Epoxy resin
Colour:	Optional
Drawer:	Self-opening door
Sideboard Type:	Optional









Linear Dental Cabinet Set



HTC-B-D/S

Sideboard Specifications:	2500mm X 860mm X 510mm
Countertop Material:	Ecological quartz stone
Colour:	Five kinds are available
Cabinet Material:	High quality first grade galvanised sheet 1.0 (mm)
Water Outlet (optional):	a. 24 volt foot top outlet
	b. Mechanical foot pedal outlet
Coated:	Epoxy resin
Colour:	Optional
Handle:	Optional
Sideboard Type:	Optional, Optional



HTC-B-D/R

Sideboard Specifications:	2500mm X 860mm X 510mm
Countertop Material:	Ecological quartz stone
Colour:	Five kinds are available
Cabinet Material:	High quality first grade galvanised sheet 1.0 (mm)
Water Outlet (optional):	a. 24 volt foot top outlet
	b. Mechanical foot pedal outlet
Coated:	Epoxy resin
Colour:	Optional
Handle:	Optional
Sideboard Type:	Optional

13/14

Medical Mobile Cabinet

Dental Mobile Cart for Orthodontic Consumables
HTC-YD-ZJ

Specification:	520mm X 350mm X 820mm
Material:	First grade galvanised sheet 1.0 mm
Countertop:	Nano ceramic grade microcrystalline stone
Cabinet Doors:	Uplifting inserted cabinet door
Coating:	Epoxy resin
Colour:	Optional
Drawer Spacer Basin:	Four kinds of orthodontic special trays
Handle Style:	Optional
Mobile Wheels:	Motion wheels for medical use



Powered Mobile Dental Treatment Cart
HTC-YD-ZLC

Specification:	520mm * 500mm * 1025mm
material:	First-class galvanised steel
countertop:	Nano-ceramic grade microcrystalline stone
cabinetdoor:	8mm imported plexiglass door (with 270° flip hinge)
coating:	Epoxy resin
colour:	Optional
features:	The right side of the cabinet is equipped with a handpiece instrument handle rack infusion rack; Built-in power supply; Cabinet base installation of 4 medical special solid core universal wheels



Comprehensive Mobile Dental Instrument Cart HTC-YD-SC

Specification:	500mm * 500mm * 870mm (can be customised)
Material:	First grade galvanised steel sheet
Coating:	Epoxy resin
Colour:	Optional



Comprehensive Mobile Dental Instrument Cart HTC-YD-LC

Specification:	500mm * 500mm * 870mm (can be customised)
Material:	First grade galvanised steel sheet
Coating:	Epoxy resin
Colour:	Optional



Rear power supply



Dental Mobile Cabinet (Tall with Password Lock) HTC-YD-4/C

Specification:	500mm * 510mm * X mm (can be customised)
Material:	First grade galvanised steel
Countertop Material:	Ceramic grade marble worktop with integrated moulding
Coating:	Epoxy resin
Colour:	Optional
Characteristics:	Combination of four drawers with side panels. Password-opened, drawers can be various trays for sorting of dental instruments and materials.



Dental Mobile Cabinet (Tall) HTC-YD-4

Specification:	500mm*510mm*870mm (can be customised)
Material:	First grade galvanised steel
Countertop Material:	One-piece moulded ceramic grade marble worktop
Coating:	Epoxy resin
Colour:	Optional
Characteristics:	Combination of four drawers, which can be equipped with a variety of optional trays. Dental instruments and materials can be sorted.

Dental Mobile Cabinet (Tall with Password Lock) HTC-YD-4/C

Specification: 500mm×510mm×870mm(can be customised)
Coating: First grade galvanised steelOptional
Colour : Epoxy resin
Features: Optional
Combination of multiple drawers. The drawers can be equipped with a variety of optional trays.
Can be classified to put all kinds of dental i nstruments and materials, easy to use, orderly management.
Can be equipped with side pull-out plate and side rubbish bin.



HPT-1



Surrounding water







Dental Mobile Cabinet HTC-YD-5/C

Specification: 500mm*510mm*870mm (can be customised)
Material: First grade galvanised steel
Countertop Material: All-in-one ceramic marble tabletop
Coating: Epoxy resin
Colour: Optional
Characteristics: Combination of five drawers with code lock. The drawers can be equipped with various kinds of trays.Can be sorted to put all kinds of dental instruments and materials, easy to use and manage.



Dental Mobile Cabinet HTC-YD-5/CM

Specification: 500mm*510mm*Xmm (can be customised)
Material: First grade galvanised steel
Countertop Material: All-in-one ceramic grade marble tabletop
Coating: Epoxy resin
Colour: Optional
Characteristics: Combination of five drawers with combination lock. The drawers can be equipped with various kinds of trays.Dental instruments and materials can be sorted out, easy to use and manage.

Medical Mobile Cabinet

Dental Emergency Cart

Specifications:	950mm*500mm*1070mm
Cabinet Material:	1.0mm 304 high quality stainless steel
Countertop Material:	304 high quality stainless steel
Handle Style:	Optional










Left: metal and transparent containers;
Right: files and documents storage.



Movable trays for sterile packs
(sterile instruments can be
separately packaged);
machine head placement
available outside trays.



Equipped with movable trays for
placing drapes, suction tubes,
cotton rolls, and needles.

Equipped with multi-compartment trays for
storing anesthesia needles, reamers,
mouth props, etc.
Curing light can be placed outside the trays.



Can hold instruments such as
camera, motor, and handpiece.




Can hold items such as irrigation tubes
needles, and saline solution.





Multifunctional Storage Cabinet HTC-DZ-CWG

Specification: 900mm*500mm*1800mm (can be customised)
Material : First grade galvanised steel
Coating: Epoxy resin
Colour : Optional
Features: Upper and lower movable laminates, can be adjusted freely according to the needs of the door panel optional toughened Glass window



Multifunctional Locker HTC-DZ-GYG

Specification: 5900mm*500mm*1800mm (can be customised)
Material : First grade galvanised steel
Coating: Epoxy resin
Colour : Optional
Features: Upper and lower movable laminates, can be adjusted freely according to the needs of the door panel optional toughened Glass window



Single-Door Storage Cabinet

Specification: 500mm*500mm*1200mm
Material: First class galvanised steel
Coating: Epoxy resin
Colour: optional




Dental Model Cabinet HTC-DZ-YM

Specification: 900mm*500mm*2000mm (can be customised)
Material: First grade galvanised steel
Coated: Epoxy resin



23/24
Medical Multifunction Cabinet

Multifunctional Wall-Mounted Cabinet HTC-D-01





Specification: 500mm*320mm*600mm

Features: Built-in tissue box, glove box

Multifunctional Wall-Mounted Cabinet HTC-D-02





Specification: 500mm*320mm*600mm

Features: Built-in tissue box, glove box sensor liquid hand soap dispenser (drip), sensor disinfectant dispenser (spray) cup picker



Medicine Rack HTC-DZ-BLG

Specification: 700mm*Xmm*2000mm (can be customised)

Material: First grade galvanised steel

Coated: Epoxy resin



Three-Stage Gypsum Sedimentation Tank HTC-DZ-CDC

Specification: 530mm*360mm*410mm (can be customised)

Material: High quality 304 stainless steel

Coated: Removable and easy to clean



Single-Door Storage Cabinet with Combination Lock

Specification: 500mm*500mm*1200mm (can be customised)

Material: First grade galvanised steel

Coating: Epoxy resin

Colour: Optional



Double-Door Storage Cabinet with Combination Lock

Specification: 800mm*500mm*1200mm (can be customised)

Material: First grade galvanised steel

Coating: Epoxy resin

Colour: Optional

Stainless steel table



Dimension:2000mm*600mm（cutomizable）

HPR Integated molding table



Dimension: 1700mm*510mm

Thickness: 15mm - 35mm

Custom Artificial Stone Ceramic-Style Sink





HPS One Piece Artificial Marble Countertop (Colours available)

Milk Tea	Light Grey	Pale Grey	Matte Grey	Vanilla Yellow
Antique White	Matte White	Khaki Grey	Khaki Beige	Teal Green
Champagne Silver	Basalt Grey	Champagne Gold	Champagne Grey	Twilight Grey

HPW Integated molding imitation marble table with double basin



Dimension: 4200mm*510mm

Thickness: 12~35mm

HPT Integrated molding imitation marble table

HPLH Micro Crystalline stone table



Dimension: 3100mm*510mm


Thickness: 18mm



Model: Drawer liner(Multiple grids)HA-SS-15
Dimension: 390mm*450mm*45mm



Model: Drawer liner(Six grids)HA-SS-16
Dimension: 390mm*450mm*90mm



Model: Drawer liner(activity Multiple grids)HA-SS-16
Dimension: 390mm*450mm*90mm



Model: Eye wash water-tap HW-WE-B1



Model: High-bend water-tap HW-A/high-bend induction water-tap HW-S-A



Model: Stainless steel basin under table
Dimension: 436mm*376mm*200mm
410mm* 520mm*200mm
410mm*600mm*360mm



Model: Stainless steel faucet with copper coreHW-BS-B1284



There are a variety of different styles of handle to be selected, for different styles of consulting room for Stomatology

16 " hidden three section buffer rails



Electronic password lock

Production Process of Medical Clinic Side Cabinets

1. Integrated solution
Through the Standardized production design or the requirement provided by customers to be customized, for large-scale projects we will send professional to design on site for giving integrated solution (include dimension, material, configuration and etc.).

2. Raw material quality control
Our professional will check and sampling all the raw materials of production and purchased hardware which have many years experiences. We have a high quality, high credibility raw material and accessories supporters library, can ensure the product raw material be supported on time and meet the requirement of the production quality standard.

3. Sheet metal process
All the parts be processed strictly according the design drawings, the parts are being cut and punched with precision by numerical control cutting board equipment, and be bending by CNC bending machine, then be welding by senior technicians.

4. Inspection and calibration
The production that has been welded will be strictly polished to make it smooth as a mirror. Then the production be compared with the design drawings to ensure they are consistent.

5. Spray painting process
After the production has been polished, they will be processed by seven processes: pickling, phosphating, coating, surface rust treatment, electrostatic epoxy resin coating, and high temperature baking, then the product be finished finally. Coating is non-toxic, tasteless, environmentally friendly.

6. Inspection and testing
Inspection the spray paint process of the surface and inside of the production by random sampling. To ensure that the thickness and adhesion of the electrostatic spray paint and baking paint can meet the design requirement.

7. Product assembly
Professional skilled technician responsible for the assembly of all the parts of products (such as drawer, door, support, etc).

8. Finished product testing
After the product unit is assembled, every unit should pass through a strict functional test. The qualified product will be pasted by qualified certification label, then carry out the follow up product package.

9. Product package
All the outer packing is carton box, its strength like the wood, but the elasticity is better. Adopted EPE foam plank to protect the filling and the cabinet corner, to ensure them will not be damaged during the remote transport process.

10. Product shipping
Number the product according the order of every project design drawing to ensure the orderly on site installation.

